


Simplicity[®] **Lighting Controls**

*LED controllers,
architectural wallbox dimmers,
& fan speed controls for
specification-grade applications*

CONTENTS:

- page 1 LED controllers - slide
- page 3 electronic fluorescent dimmers - slide
- page 4 incandescent dimmers - slide
- page 5 incandescent dimmers - rotary
- page 6 magnetic fluorescent dimmers - slide & rotary
- page 7 low voltage (magnetic) dimmers - slide & rotary
- page 8 ceiling fan & motor speed controls - slide
- page 9 ceiling fan & motor speed controls - rotary
- page 10 modular dimming systems
- page 11 modular dimming control switches - slide & rotary



PRODUCT SPECIFICATIONS & ORDERING INFORMATION

Number 2020

This product information
supersedes all previous
information

Effective January 1, 2020

PRODUCT CODE	MODEL #	DESCRIPTION	UNIT PACKED	
			MASTER CARTON	UNIT Wt.

Eclipsis Series - 120 Volt for 18W LED drivers



54500	PS-LED-PC-IV-120V-LT18	600 watts, preset slide, ivory	12	8 oz
54501	PS-LED-PC-WH-120V-LT18	600 watts, preset slide, white	12	8 oz
54510	PS-LED-PC-3W-IV-120V-LT18	600 watts, preset slide, 3-way, ivory	12	8 oz
54511	PS-LED-PC-3W-WH-120V-LT18	600 watts, preset slide, 3-way, white	12	8 oz

Eclipsis Series - 277 Volt for 18W LED drivers

54520	PS-LED-PC-IV-277V-LT18	600 watts, preset slide, ivory	12	8 oz
54521	PS-LED-PC-WH-277V-LT18	600 watts, preset slide, white	12	8 oz
54530	PS-LED-PC-3W-IV-277V-LT18	600 watts, preset slide, 3-way, ivory	12	8 oz
54531	PS-LED-PC-3W-WH-277V-LT18	600 watts, preset slide, 3-way, white	12	8 oz

Note: These units are also available in Gray, Brown or Black at an additional cost.
Please contact the factory for pricing.

Eclipsis Series - 120 Volt for 26W or 36W LED drivers



56500	PS-LED-PC-IV-120V-LT26/36	600 watts, preset slide, ivory	12	8 oz
56501	PS-LED-PC-WH-120V-LT26/36	600 watts, preset slide, white	12	8 oz
56510	PS-LED-PC-3W-IV-120V-LT26/36	600 watts, preset slide, 3-way, ivory	12	8 oz
56511	PS-LED-PC-3W-WH-120V-LT26/36	600 watts, preset slide, 3-way, white	12	8 oz

Eclipsis Series - 277 Volt for 26W or 36W LED drivers


56520	PS-LED-PC-IV-277V-LT26/36	600 watts, preset slide, ivory	12	8 oz
56521	PS-LED-PC-WH-277V-LT26/36	600 watts, preset slide, white	12	8 oz
56530	PS-LED-PC-3W-IV-277V-LT26/36	600 watts, preset slide, 3-way, ivory	12	8 oz
56531	PS-LED-PC-3W-WH-277V-LT26/36	600 watts, preset slide, 3-way, white	12	8 oz

Note: These units are also available in Gray, Brown or Black at an additional cost.
Please contact the factory for pricing.

LED WALLBOX CONTROLLERS - 0-10 VDC

PRODUCT CODE	MODEL #	DESCRIPTION	UNIT PACKED	
			MASTER CARTON	UNIT Wt.

Eclipsis Series - 120 Volt



53510	PS-LED-010-IV-120V	120V, 8.5 amps, preset slide, ivory	12	8 oz
53511	PS-LED-010-WH-120V	120V, 8.5 amps, preset slide, white	12	8 oz
53512	PS-LED-010-3W-IV-120V	120V, 8.5 amps, preset slide, 3-way-ivory	12	8 oz
53513	PS-LED-010-3W-WH-120V	120V, 8.5 amps, preset slide, 3-way-white	12	8 oz

Eclipsis Series - 277 Volt


53530	PS-LED-010-IV-277V	277V, 3.7 amps, preset slide, ivory	12	8 oz
53531	PS-LED-010-WH-277V	277V, 3.7 amps, preset slide, white	12	8 oz
53532	PS-LED-010-3W-IV-277V	277V, 3.7 amps, preset slide, 3-way, ivory	12	8 oz
53533	PS-LED-010-3W-WH-277V	277V, 3.7 amps, preset slide, 3-way, white	12	8 oz

Slide Controller - Momentary ON - 24VDC

53560	PS-LED-010-Momentary ON-IV	24VDC, 20mA, preset slide, ivory	12	8 oz
53561	PS-LED-010-Momentary ON-WH	24VDC, 20mA, preset slide, white	12	8 oz

Note: These units are also available in Gray, Brown or Black at an additional cost.
Please contact the factory for pricing.

Eclipsis Series - 120 Volt



PRODUCT CODE	MODEL #	DESCRIPTION	UNIT PACKED	
			MASTER CARTON	UNIT WT.
57500	PLV-LED-5-IV	500 volt-amps, preset slide, ivory	12	8 oz
57501	PLV-LED-5-WH	500 volt-amps, preset slide, white	12	8 oz
57510	PLV-LED-5-3W-IV	500 volt-amps, preset slide, 3W, ivory	12	8 oz
57511	PLV-LED-5-3W-WH	500 volt-amps, preset slide, 3W, white	12	8 oz

Eclipsis Series - 277 Volt

57520	PLV-LED-527-IV	500 volt-amps, preset slide, ivory	12	8 oz
57521	PLV-LED-527-WH	500 volt-amps, preset slide, white	12	8 oz
57530	PLV-LED-527-3W-IV	500 volt-amps, preset slide, 3W, ivory	12	8 oz
57531	PLV-LED-527-3W-WH	500 volt-amps, preset slide, 3W, white	12	8 oz

LOW VOLTAGE (MAGNETIC) WALLBOX DIMMERS - SLIDE

Eclipsis Series - 120 Volt



PRODUCT CODE	MODEL #	DESCRIPTION	UNIT PACKED	
			MASTER CARTON	UNIT WT.
71410	PLV-5-IV	500 volt-amps, preset slide, ivory	12	8 oz
71411	PLV-5-WH	500 volt-amps, preset slide, white	12	8 oz
71420	PLV-5-3W-IV	500 volt-amps, preset slide, 3-way, ivory	12	8 oz
71421	PLV-5-3W-WH	500 volt-amps, preset slide, 3-way,white	12	8 oz

Note: These are also for use with electronic transformers. Please contact factory for approved manufacturers.

Eclipsis Series - 277 Volt

71415	PLV-527-IV	500 volt-amps, preset slide, ivory	12	8 oz
71416	PLV-527-WH	500 volt-amps, preset slide, white	12	8 oz
71425	PLV-527-3W-IV	500 volt-amps, preset slide, 3-way, ivory	12	8 oz
71426	PLV-527-3W-WH	500 volt-amps, preset slide, 3-way,white	12	8 oz

Note: These are also for use with electronic transformers. Please contact factory for approved manufacturers.

Note: These units are also available in Gray, Brown or Black at an additional cost. Please contact the factory for pricing.

PRODUCT CODE	MODEL #	DESCRIPTION	UNIT PACKED MASTER CARTON	UNIT WT.
--------------	---------	-------------	---------------------------	----------

Eclipsis Series - 120 Volt



65500	PS-600-IV Mark 10®	120V, 600 watts, preset slide, ivory	12	8 oz
65501	PS-600-WH Mark 10®	120V, 600 watts, preset slide, white	12	8 oz
65510	PS-600-3W-IV Mark 10®	120V, 600 watts, preset slide, 3-way, ivory	12	8 oz
65511	PS-600-3W-WH Mark 10®	120V, 600 watts, preset slide, 3-way, white	12	8 oz


Eclipsis Series - 277 Volt

65520	PS-627-IV Mark 10®	277V, 600 watts, preset slide, ivory	12	8 oz
65521	PS-627-WH Mark 10®	277V, 600 watts, preset slide, white	12	8 oz
65530	PS-627-3W-IV Mark 10®	277V, 600 watts, preset slide, 3-way, ivory	12	8 oz
65531	PS-627-3W-WH Mark 10®	277V, 600 watts, preset slide, 3-way, white	12	8 oz

Note: These units are also available in Gray, Brown or Black at an additional cost. Please contact the factory for pricing.

High-wattage Modular Dimming Systems can control up to 3 kw for Mark 10® or 0-10 VDC applications, and are available on pages 10 and 11. Please contact the factory for additional information.

Omega Series - 120 Volt




72100	SC-10-IV Mark 10® 120V	1000 watts, slide control, ivory	2	15 oz
72101	SC-10-WH Mark 10® 120V	1000 watts, slide control, white	2	15 oz
72102	SC-15-IV Mark 10® 120V	1500 watts, slide control, ivory	2	18 oz
72103	SC-15-WH Mark 10® 120V	1500 watts, slide control, white	1	18 oz

Omega Series - 277 Volt

72200	SC-10-IV Mark 10® 277V	1000 watts, slide control, ivory	1	15 oz
72201	SC-10-WH Mark 10® 277V	1000 watts, slide control, white	1	15 oz
72202	SC-15-IV Mark 10® 277V	1500 watts, slide control, ivory	1	18 oz
72203	SC-15-WH Mark 10® 277V	1500 watts, slide control, white	1	18 oz

Accent Series - 120 Volt



72300	AS-10-IV Mark 10® 120V	1000 watts, rotary, ivory	1	15 oz
72301	AS-10-WH-Mark 10® 120V	1000 watts, rotary, white	1	15 oz
72310	AS-10-3W-IV-Mark 10® 120V	1000 watts, rotary, 3-way, ivory	1	15 oz
72311	AS-10-3W-WH-Mark 10® 120V	1000 watts, rotary, 3-way, white	1	15 oz
72312	AS-15-IV-Mark 10® 120V	1500 watts, rotary, ivory	1	18 oz
72313	AS-15-WH-Mark 10® 120V	1500 watts, rotary, white	1	18 oz
72314	AS-15-3W-IV-Mark 10® 120V	1500 watts, rotary, 3-way, ivory	1	18 oz
72315	AS-15-3W-WH-Mark 10® 120V	1500 watts, rotary, 3-way, white	1	18 oz

Accent Series - 277 Volt

72302	AS-10-IV-Mark 10® 277V	1000 watts, rotary, ivory	1	15 oz
72303	AS-10-WH-Mark 10® 277V	1000 watts, rotary, white	1	15 oz
72304	AS-10-3W-IV-Mark 10® 277V	1000 watts, rotary, 3-way, ivory	1	15 oz
72305	AS-10-3W-WH-Mark 10® 277V	1000 watts, rotary, 3-way, white	1	15 oz
72316	AS-15-IV-Mark 10® 277V	1500 watts, rotary, ivory	1	18 oz
72317	AS-15-WH-Mark 10® 277V	1500 watts, rotary, white	1	18 oz
72318	AS-15-3W-IV-Mark 10® 277V	1500 watts, rotary, 3-way, ivory	1	18 oz
72319	AS-15-3W-WH-Mark 10® 277V	1500 watts, rotary, 3-way, white	1	18 oz

Eclipsis Series - 120 Volt



PRODUCT CODE	MODEL #	DESCRIPTION	UNIT PACKED	
			MASTER CARTON	UNIT WT.
71510	PS-010-IV-120V	120V, 8.5 amps, preset slide, ivory	12	8 oz
71511	PS-010-WH-120V	120V, 8.5 amps, preset slide, white	12	8 oz
71512	PS-010-3W-IV-120V	120V, 8.5 amps, preset slide, 3-way, ivory	12	8 oz
71513	PS-010-3W-WH-120V	120V, 8.5 amps, preset slide, 3-way, white	12	8 oz


Eclipsis Series - 277 Volt

71530	PS-010-IV-277V	277V, 3.7 amps, preset slide, ivory	12	8 oz
71531	PS-010-WH-277V	277V, 3.7 amps, preset slide, white	12	8 oz
71532	PS-010-3W-IV-277V	277V, 3.7 amps, preset slide, 3-way, ivory	12	8 oz
71533	PS-010-3W-WH-277V	277V, 3.7 amps, preset slide, 3-way, white	12	8 oz

Note: These units are also available in Gray, Brown or Black at an additional cost. Please contact the factory for pricing.


INCANDESCENT WALLBOX DIMMERS - SLIDE

Luminist Series - 120 Volt



PRODUCT CODE	MODEL #	DESCRIPTION	UNIT PACKED	
			MASTER CARTON	UNIT WT.
68100	DAP-8-IV	800 watts, preset slide, ivory	10	14 oz
68101	DAP-8-WH	800 watts, preset slide, white	10	14 oz
68110	DAP-8-3W-IV	800 watts, preset slide, 3-way, ivory	2	14 oz
68111	DAP-8-3W-WH	800 watts, preset slide, 3-way, white	2	14 oz
68120	DAP-10-IV	1000 watts, preset slide, ivory	5	15 oz
68121	DAP-10-WH	1000 watts, preset slide, white	5	15 oz
68130	DAP-10-3W-IV	1000 watts, preset slide, 3-way, ivory	2	15 oz
68131	DAP-10-3W-WH	1000 watts, preset slide, 3-way, white	2	15 oz
68140	DAP-15-IV	1500 watts, preset slide, ivory	2	18 oz
68141	DAP-15-WH	1500 watts, preset slide, white	2	18 oz
68150	DAP-15-3W-IV	1500 watts, preset slide, 3-way, ivory	2	18 oz
68151	DAP-15-3W-WH	1500 watts, preset slide, 3-way, white	2	18 oz
68160	DAP-20-IV	2000 watts, preset slide, ivory	2	19 oz
68161	DAP-20-WH	2000 watts, preset slide, white	2	19 oz
68170	DAP-20-3W-IV	2000 watts, preset slide, 3-way, ivory	2	19 oz
68171	DAP-20-3W-WH	2000 watts, preset slide, 3-way, white	2	19 oz

Omega Series - 120 Volt




65130	SC-6-IV	600 watts, slide control, ivory	12	14 oz
65006	SC-6-WH	600 watts, slide control, white	6	14 oz
65131	SC-10-IV	1000 watts, slide control, ivory	6	15 oz
65007	SC-10-WH	1000 watts, slide control, white	2	15 oz
65132	SC-15-IV	1500 watts, slide control, ivory	1	18 oz
65008	SC-15-WH	1500 watts, slide control, white	1	18 oz
65133	SC-20-IV	2000 watts, slide control, ivory	1	19 oz
65009	SC-20-WH	2000 watts, slide control, white	1	19 oz

Omega Series - 277 Volt

65150	SC-647-IV	600 watts, slide control, ivory	1	12 oz
65115	SC-647-WH	600 watts, slide control, white	1	12 oz
65151	SC-1047-IV	1000 watts, slide control, ivory	1	15 oz
65116	SC-1047-WH	1000 watts, slide control, white	1	15 oz
65152	SC-2047-IV	2000 watts, slide control, ivory	1	18 oz
65117	SC-2047-WH	2000 watts, slide control, white	1	18 oz

Eclipsis Series - 120 Volt



PRODUCT CODE	MODEL #	DESCRIPTION	UNIT PACKED MASTER CARTON	UNIT Wt.
65076	PS-600-IV-INCAN	600 watts, preset slide, ivory	12	8 oz
65080	PS-600-WH-INCAN	600 watts, preset slide, white	12	8 oz
65078	PS-600-3W-IV-INCAN	600 watts, preset slide, 3-way, ivory	12	8 oz
65079	PS-600-3W-WH-INCAN	600 watts, preset slide, 3-way, white	12	8 oz


Note: These units are for Incandescent Use Only. Units for use in Fluorescent Mark 10® applications are found on page 3.

Eclipsis Series - 277 Volt

65081	PS-627-IV-INCAN	600 watts, preset slide, ivory	12	8 oz
65082	PS-627-WH-INCAN	600 watts, preset slide, white	12	8 oz
65086	PS-627-3W-IV-INCAN	600 watts, preset slide, 3-way, ivory	12	8 oz
65087	PS-627-3W-WH-INCAN	600 watts, preset slide, 3-way, white	12	8 oz

Note: These units are for Incandescent Use Only. Units for use in Fluorescent Mark 10® applications are found on page 3.

Accent Series - 120 Volt



PRODUCT CODE	MODEL #	DESCRIPTION	UNIT PACKED MASTER CARTON	UNIT Wt.
65090	AS-6-IV	600 watts, rotary, ivory	12	11 oz
65039	AS-6-WH	600 watts, rotary, white	6	11 oz
65091	AS-6-3W-IV	600 watts, rotary, 3-way, ivory	1	11 oz
65047	AS-6-3W-WH	600 watts, rotary, 3-way, white	1	11 oz
65092	AS-10-IV	1000 watts, rotary, ivory	6	12 oz
65048	AS-10-WH	1000 watts, rotary, white	1	12 oz
65094	AS-15-IV	1500 watts, rotary, ivory	1	17 oz
65050	AS-15-WH	1500 watts, rotary, white	1	17 oz
65096	AS-20-IV	2000 watts, rotary, ivory	1	21 oz
65052	AS-20-WH	2000 watts, rotary, white	1	21 oz

Accent Series - 277 Volt

65169	AS-647-IV	600 watts, rotary, ivory	1	12 oz
65168	AS-647-WH	600 watts, rotary, white	1	12 oz
65187	AS-1047-IV	1000 watts, rotary, ivory	1	15 oz
65188	AS-1047-WH	1000 watts, rotary, white	1	15 oz
65185	AS-2047-IV	2000 watts, rotary, ivory	1	18 oz
65186	AS-2047-WH	2000 watts, rotary, white	1	18 oz

A-Line Series - 120 Volt




65040	A-600	600 watts, rotary	12	10 oz
65041	A-600-3W	600 watts, rotary, 3-way	6	10 oz
65042	A-1000	1000 watts, rotary	6	11 oz
65044	A-1500	1500 watts, rotary	1	16 oz
65046	A-2000	2000 watts, rotary	1	19 oz

A-Line Series - 277 Volt

65060	A-647	600 watts, rotary	1	10 oz
65061	A-1047	1000 watts, rotary	1	11 oz
65062	A-2047	2000 watts, rotary	1	19 oz

Omega Series - 120 Volt




PRODUCT CODE	MODEL #	DESCRIPTION	UNIT PACKED MASTER CARTON	UNIT Wt.
65220	SCF-5-IV	12 lamps or 480 watts, slide control, ivory	2	4 oz
65119	SCF-5-WH	12 lamps or 480 watts, slide control, white	2	14 oz
65221	SCF-10-IV	18 lamps or 800 watts, slide control, ivory	2	5 oz
65022	SCF-10-WH	18 lamps or 800 watts, slide control, white	1	15 oz
65222	SCF-15-IV	28 lamps or 1120 watts, slide control, ivory	1	18 oz
65023	SCF-15-WH	28 lamps or 1120 watts, slide control, white	1	18 oz

Omega Series - 277 Volt

65230	SCF-527-IV	12 lamps or 480 watts, slide control, ivory	1	15 oz
65024	SCF-527-WH	12 lamps or 480 watts, slide control, white	1	15 oz
65231	SCF-1027-IV	20 lamps or 800 watts, slide control, ivory	1	15 oz
65025	SCF-1027-WH	20 lamps or 800 watts, slide control, white	1	15 oz
65232	SCF-1527-IV	30 lamps or 1200 watts, slide control, ivory	1	18 oz
65026	SCF-1527-WH	30 lamps or 1200 watts, slide control, white	1	18 oz

Accent Series - 120 Volt



65210	ASF-5-IV	12 lamps or 480 watts, rotary, ivory	2	11 oz
65053	ASF-5-WH	12 lamps or 480 watts, rotary, white	2	11 oz
65211	ASF-5-3W-IV	12 lamps or 480 watts, rotary, 3-way, ivory	1	11 oz
65054	ASF-5-3W-WH	12 lamps or 480 watts, rotary, 3-way, white	1	11 oz
65212	ASF-10-IV	18 lamps or 720 watts, rotary, ivory	1	12 oz
65055	ASF-10-WH	18 lamps or 720 watts, rotary, white	1	12 oz
65213	ASF-15-IV	28 lamps or 1120 watts, rotary, ivory	1	17 oz
65056	ASF-15-WH	28 lamps or 1120 watts, rotary, white	1	17 oz

Accent Series - 277 Volt

65215	ASF-527-IV	12 lamps or 480 watts, rotary, ivory	1	11 oz
65057	ASF-527-WH	12 lamps or 480 watts, rotary, white	1	11 oz
65216	ASF-527-3W-IV	12 lamps or 480 watts, rotary, 3-way, ivory	1	11 oz
65058	ASF-527-3W-WH	12 lamps or 480 watts, rotary, 3-way, white	1	11 oz
65217	ASF-1027-IV	20 lamps or 800 watts, rotary, ivory	1	12 oz
65059	ASF-1027-WH	20 lamps or 800 watts, rotary, white	1	12 oz
65218	ASF-1027-3W-IV	20 lamps or 800 watts, rotary,3-way, ivory	1	16 oz
65063	ASF-1027-3W-WH	20 lamps or 800 watts, rotary,3-way, white	1	16 oz
65219	ASF-1527-IV	30 lamps or 1200 watts, rotary, ivory	1	17 oz
65066	ASF-1527-WH	30 lamps or 1200 watts, rotary, white	1	17 oz

A-Line Series - 120 Volt




65190	AF-5	12 lamps or 480 watts	6	10 oz
65191	AF-5-3W	12 lamps or 480 watts, 3-way	1	10 oz
65192	AF-10	18 lamps or 720 watts	1	11 oz
65193	AF-15	28 lamps or 1120 watts	1	16 oz

A-Line Series - 277 Volt


65200	AF-527	12 lamps or 480 watts, rotary	1	10 oz
65201	AF-527-3W	12 lamps or 480 watts, rotary, 3-way	1	10 oz
65202	AF-1027	20 lamps or 800 watts, rotary	1	11 oz
65203	AF-1027-3W	20 lamps or 800 watts, rotary, 3-way	1	15 oz
65204	AF-1527	30 lamps or 1200 watts	1	16 oz

Omega Series - 120 Volt




PRODUCT CODE	MODEL #	DESCRIPTION	UNIT PACKED	
			MASTER CARTON	UNIT Wt.
65160	SCLV-6-IV	600 volt-amperes, slide control, ivory	1	14 oz
65027	SCLV-6-WH	600 volt-amperes, slide control, white	1	14 oz
65161	SCLV-10-IV	1000 volt-amperes, slide control, ivory	1	15 oz
65029	SCLV-10-WH	1000 volt-amperes, slide control, white	1	15 oz
65162	SCLV-15-IV	1500 volt-amperes, slide control, ivory	1	18 oz
65028	SCLV-15-WH	1500 volt-amperes, slide control, white	1	18 oz
65163	SCLV-20-IV	2000 volt-amperes, slide control, ivory	1	19 oz
65030	SCLV-20-WH	2000 volt-amperes, slide control, white	1	19 oz

Omega Series - 277 Volt



65170	SCLV-647-IV	600 volt-amperes, slide control, ivory	1	14 oz
65177	SCLV-647-WH	600 volt-amperes, slide control, white	1	14 oz
65171	SCLV-1047-IV	1000 volt-amperes, slide control, ivory	1	15 oz
65178	SCLV-1047-WH	1000 volt-amperes, slide control, white	1	15 oz
65172	SCLV-2047-IV	2000 volt-amperes, slide control, ivory	1	19 oz
65179	SCLV-2047-WH	2000 volt-amperes, slide control, white	1	19 oz

Accent Series - 120 Volt



65120	ASLV-6-IV	600 volt-amperes, rotary, ivory	1	14 oz
65067	ASLV-6-WH	600 volt-amperes, rotary, white	1	14 oz
65121	ASLV-10-IV	1000 volt-amperes, rotary, ivory	1	15 oz
65068	ASLV-10-WH	1000 volt-amperes, rotary, white	1	15 oz
65122	ASLV-15-IV	1500 volt-amperes, rotary, ivory	1	18 oz
65069	ASLV-15-WH	1500 volt-amperes, rotary, white	1	18 oz
65139	ASLV-20-IV	2000 volt-amperes, rotary, ivory	1	19 oz
65140	ASLV-20-WH	2000 volt-amperes, rotary, white	1	19 oz

Accent Series - 277 Volt

65164	ASLV-647-IV	600 volt-amperes, rotary, ivory	1	14 oz
65174	ASLV-647-WH	600 volt-amperes, rotary, white	1	14 oz
65165	ASLV-1047-IV	1000 volt-amperes, rotary, ivory	1	15 oz
65175	ASLV-1047-WH	1000 volt-amperes, rotary, white	1	15 oz
65166	ASLV-2047-IV	2000 volt-amperes, rotary, ivory	1	19 oz
65176	ASLV-2047-WH	2000 volt-amperes, rotary, white	1	19 oz

A-Line Series - 120 Volt



PRODUCT CODE	MODEL #	DESCRIPTION	UNIT PACKED MASTER CARTON	UNIT Wt.
65070	ALV-6	600 volt-amps, rotary	1	10 oz
65071	ALV-10	1000 volt-amps, rotary	1	11 oz
65072	ALV-15	1500 volt-amps, rotary	1	16 oz
65073	ALV-20	2000 volt-amps, rotary	1	17 oz


A-Line Series - 277 Volt

65113	ALV-647	600 volt-amps, rotary	1	12 oz
65114	ALV-1047	1000 volt-amps, rotary	1	14 oz
65118	ALV-2047	2000 volt-amps, rotary	1	16 oz

CEILING FAN & MOTOR SPEED CONTROLS


- SLIDE

Luminist Series - 120 Volt



PRODUCT CODE	MODEL #	DESCRIPTION	UNIT PACKED MASTER CARTON	UNIT Wt.
68600	DFS-7-IV	7.5 amps, preset slide, ivory	2	14 oz
68601	DFS-7-WH	7.5 amps, preset slide, white	2	14 oz
68610	DFS-10-IV	10.0 amps, preset slide, ivory	2	15 oz
68611	DFS-10-WH	10.0 amps, preset slide, white	2	15 oz
68620	DFS-15-IV	15.0 amps, preset slide, ivory	2	16 oz
68621	DFS-15-WH	15.0 amps, preset slide, white	2	16 oz

Omega Series - 120 Volt




65300	SCMTA-6-IV	6.0 amps, slide control, ivory	1	14 oz
65034	SCMTA-6-WH	6.0 amps, slide control, white	1	14 oz
65301	SCMTA-8-IV	8.3 amps, slide control, ivory	1	15 oz
65035	SCMTA-8-WH	8.3 amps, slide control, white	1	15 oz
65302	SCMTA-12-IV	12.5 amps, slide control, ivory	1	18 oz
65036	SCMTA-12-WH	12.5 amps, slide control, white	1	18 oz

Omega Series - 277 Volt

65284	SCMTA-647-IV	2.2 amps, slide control, ivory	1	14 oz
65285	SCMTA-647-WH	2.2 amps, slide control, white	1	14 oz
65324	SCMTA-1047-IV	3.6 amps, slide control, ivory	1	15 oz
65325	SCMTA-1047-WH	3.6 amps, slide control, white	1	15 oz
65326	SCMTA-1547-IV	5.4 amps, slide control, ivory	1	17 oz
65327	SCMTA-1547-WH	5.4 amps, slide control, white	1	17 oz
65328	SCMTA-2047-IV	7.2 amps, slide control, ivory	1	18 oz
65329	SCMTA-2047-WH	7.2 amps, slide control, white	1	18 oz

Eclipsis Series - 120 Volt




71430	PFC-5-IV	5.0 amps, preset slide, ivory	12	8 oz
71431	PFC-5-WH	5.0 amps, preset slide, white	12	8 oz
71440	PFC-5-3W-IV	5.0 amps, preset slide, 3-way, ivory	12	8 oz
71441	PFC-5-3W-WH	5.0 amps, preset slide, 3-way, white	12	8 oz

Eclipsis Series - 277 Volt


71435	PFC-527-IV	2.1 amps, preset slide, ivory	12	8 oz
71436	PFC-527-WH	2.1 amps, preset slide, white	12	8 oz
71445	PFC-527-3W-IV	2.1 amps, preset slide, 3-way, ivory	12	8 oz
71446	PFC-527-3W-WH	2.1 amps, preset slide, 3-way, white	12	8 oz

Revolution Series - 120 Volt



PRODUCT CODE	MODEL #	DESCRIPTION	UNIT PACKED MASTER CARTON	UNIT Wt.
68710	AFS-10-IV	10.0 amps, captive rotary, ivory	2	15 oz
68711	AFS-10-WH	10.0 amps, captive rotary, white	2	15 oz

Accent Series - 120 Volt



65303	ASMTA-6-IV	6.0 amps, rotary, ivory	1	11 oz
65304	ASMTA-6-WH	6.0 amps, rotary, white	1	11 oz
65305	ASMTA-6-3W-IV	6.0 amps, rotary, 3-way, ivory	1	11 oz
65306	ASMTA-6-3W-WH	6.0 amps, rotary, 3-way, white	1	11 oz
65307	ASMTA-8-IV	8.3 amps, rotary, ivory	1	12 oz
65308	ASMTA-8-WH	8.3 amps, rotary, white	1	12 oz
65309	ASMTA-12-IV	12.5 amps, rotary, ivory	1	16 oz
65310	ASMTA-12-WH	12.5 amps, rotary, white	1	16 oz

Accent Series - 277 Volt

65286	ASMTA-647-IV	2.2 amps, rotary, ivory	1	12 oz
65287	ASMTA-647-WH	2.2 amps, rotary, white	1	12 oz
65288	ASMTA-647-3W-IV	2.2 amps, rotary, 3-way, ivory	1	12 oz
65289	ASMTA-647-3W-WH	2.2 amps, rotary, 3-way, white	1	12 oz
65316	ASMTA-1047-IV	3.6 amps, rotary, ivory	1	12 oz
65317	ASMTA-1047-WH	3.6 amps, rotary, white	1	12 oz
65318	ASMTA-1547-IV	5.4 amps, rotary, ivory	1	17 oz
65319	ASMTA-1547-WH	5.4 amps, rotary, white	1	17 oz
65322	ASMTA-2047-IV	7.2 amps, rotary, ivory	1	21 oz
65323	ASMTA-2047-WH	7.2 amps, rotary, white	1	21 oz

A-Line Series - 120 Volt



65280	MTA-6	6.0 amps, rotary	6	10 oz
65281	MTA-6-3W	6.0 amps, rotary, 3-way	1	10 oz
65282	MTA-8	8.3 amps, rotary	1	11 oz
65283	MTA-12	12.5 amps, rotary	1	16 oz

A-Line Series - 277 Volt

65290	MTA-647	2.2 amps, rotary	1	12 oz
65291	MTA-647-3W	2.2 amps, rotary, 3-way	1	12 oz
65292	MTA-1047	3.6 amps, rotary	1	12 oz
65293	MTA-1547	5.4 amps, rotary	1	12 oz
65294	MTA-2047	7.2 amps, rotary	1	14 oz

PRODUCT CODE MODEL # DESCRIPTION

Fluorescent - 120 Volt

71516	FD-010-120V	Remote mounted unit for controlling up to 25 amps; 120V
-------	-------------	---

Fluorescent - 277 Volt

71517	FD-010-277V	Remote mounted unit for controlling up to 11 amps; 277V
-------	-------------	---

Note: These units require the use of a control switch (see page 11).

MODULAR DIMMING SYSTEMS - ELECTRONIC FLUORESCENT 2-WIRE PHASE-CONTROL

Fluorescent - 120 Volt

71340	FD-30 Mark 10 [®] MASTER	Remote mounted master unit for controlling up to 3 kw; 120V
71341	FD-30-S Mark 10 [®] SLAVE	Remote mounted slave unit for controlling up to 3 kw; 120V
71350	FD-20 Mark 10 [®] MASTER	Remote mounted master unit for controlling up to 2 kw; 120V
71351	FD-20-S Mark 10 [®] SLAVE	Remote mounted slave unit for controlling up to 2 kw; 120V

Fluorescent - 277 Volt

71360	FD-27 Mark 10 [®] MASTER	Remote mounted master unit for controlling up to 2 kw; 277V
71361	FD-27-S Mark 10 [®] SLAVE	Remote mounted slave unit for controlling up to 2 kw; 277V

Note: These units require the use of a control switch (see page 11).

MODULAR DIMMING SYSTEMS - MAGNETIC FLUORESCENT

Fluorescent - 120 Volt

65402	FD-30 MASTER	Master unit for up to (56) F-40 lamps with up to (7) Slaves
65403	FD-30-S SLAVE	Slave unit for up to (56) F-40 lamps
65404	FD-20 MASTER	Master unit for up to (38) F-40 lamps with up to (7) Slaves
65405	FD-20-S SLAVE	Slave unit for up to (38) F-40 lamps

Fluorescent - 277 Volt

65410	FD-27 MASTER	Master unit for up to (40) F-40 lamps with up to (7) Slaves
65411	FD-27-S SLAVE	Slave unit for up to (40) F-40 lamps

Note: These units require the use of a control switch (see page 11).

MODULAR DIMMING SYSTEMS - INCANDESCENT


Incandescent - 120 Volt

65384	ID-30-F MASTER	3kw, 24 amp Master unit
65385	ID-30-SF SLAVE	3kw, 24 amp Slave unit
65386	ID-20-F MASTER	2kw, 16 amp Master unit
65387	ID-20-SF SLAVE	2kw, 16 amp Slave unit

Note: These units require the use of a control switch (see page 11).

PRODUCT CODE MODEL # DESCRIPTION

Eclipsis Series - 120 Volt & 277 Volt



71355	PS-IFC-010-IV	Preset slide for FD-010 modular systems, ivory
71356	PS-IFC-010-WH	Preset slide for FD-010 modular systems, white
71357	PS-IFC-010-3W-IV	Preset slide for FD-010 modular systems, 3-way, ivory
71358	PS-IFC-010-3W-WH	Preset slide for FD-010 modular systems, 3-way, white

Eclipsis Series - 120 Volt & 277 Volt



71320	PS-IFC-IV Mark 10®	Preset slide for modular Mark 10® systems, ivory
71321	PS-IFC-WH Mark 10®	Preset slide for modular Mark 10® systems, white
71330	PS-IFC-3W-IV Mark 10®	Preset slide for modular Mark 10® systems, 3-way, ivory
71331	PS-IFC-3W-WH Mark 10®	Preset slide for modular Mark 10® systems, 3-way, white

MODULAR DIMMING CONTROL SWITCHES - FOR MAGNETIC BALLASTS & INCANDESCENT

Eclipsis Series - 120 Volt & 277 Volt



71310	PS-IFC-1-IV	Preset slide for (1) ID-20, ID-30, FD-20 or FD-30, ivory
71311	PS-IFC-1-WH	Preset slide for (1) ID-20, ID-30, FD-20 or FD-30, white
71315	PS-IFC-1-3W-IV	Preset slide for (1) ID-20, ID-30, FD-20 or FD-30, 3-way, ivory
71316	PS-IFC-1-3W-WH	Preset slide for (1) ID-20, ID-30, FD-20 or FD-30, 3-way, white

A-Line Series - 120 Volt & 277 Volt



65333	AIFC-1	Remote manual control for (1) ID-20, ID-30, FD-20, or FD-30
65334	AIFC-2	Remote manual control for (2) ID-20, ID-30, FD-20, or FD-30

Note: The modular dimming systems (see page 10) and the required control switches (above) must be correctly matched for proper functioning of the units. If you have any questions, please call the factory.

REPLACEMENT PARTS

A variety of replacement parts, including repair kits for dimming systems and modular units, are available from the factory.

TERMS & CONDITIONS OF SALE:

Minimum Order - \$100 (including repair parts). Minimum invoice billing does not include freight or taxes.

Terms - Net 30, from date of invoice.

Drop-Ship Fee - Distributor orders must ship to a Distributor warehouse or branch location or a Special Handling charge of \$25 for drop-shipped orders will apply.

Freight - This is the sole responsibility of the purchaser. Freight service is provided by FedEx and is not included, and will be pre-paid and added. All orders are shipped F.O.B. Fort Collins, CO. Any allowance must be pre-approved in writing by HUNT Dimming.

Returns - Customer returns are not allowed. No returns will be accepted without the written permission of HUNT Dimming.

WARRANTY:

Seller warrants products manufactured by it to be free from defects in material or workmanship in normal use and service. Seller's obligations under the warranty are limited to making good at its factory any part or parts thereof which shall, within one (1) year after delivery of such part to the original purchaser, except where noted, be returned to it with transportation prepaid and which upon examination shall disclose to its satisfaction to have been thus defective. This warranty being expressly in lieu of all other warranties, expressed or implied, except warranties of title, and all other liabilities on its part and it neither assumes nor authorizes any person to assume for it any other liability in connection with the sale of its products. Seller shall not be liable for any loss or damage, consequential or otherwise, alleged to have been caused by the use of the good delivered, except to make repairs or replacements as herein stated. **This warranty shall not include any charge for labor, material, etc. without written approval from seller before work is done.**

AUTHORIZED STOCKING DISTRIBUTOR (ASD) PROGRAM :

An opportunity for significant savings exists for those approved distributors purchasing qualifying HUNT Dimming wallbox product at prescribed levels. Please contact your local representative, or call HUNT Dimming directly at the numbers provided below to discover the potential savings this program can provide for your company. Participation levels are lower than you think. You may already qualify...Call today!

DON'T SEE WHAT YOU ARE LOOKING FOR?

HUNT manufactures hundreds of custom lighting products on a made-to-order basis. Please call the factory for pricing and availability.

ALL PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE.

Mark 10[®] is a registered trademark of Advance Transformer Co.

Hunt Control Systems Inc.

200 Rome Court
Fort Collins, CO 80524
USA

tel: (970) 484-9048 **fax:** (970) 493-4125

www.huntdimming.com