


**HUNT** Dimming

**Simplicity<sup>®</sup>**  
**Lighting Controls**


for architectural & standard wallbox  
light dimmers & fan speed controls  
for specification-grade applications



Dimming.  
It's all we do.  
Since 1960.

**HUNT Dimming products feature:**

- Solid state circuitry that saves energy & extends bulb life.
- Positive ON/OFF switch.
- RFI filtering is standard.
- All models utilize a single-gang back box for easy installation.
- Voltage compensated circuitry.
- UL listed.
- Available in Ivory or White; single-pole or 3-way design.
- Custom configurations and colors available.




Cover Photo:

- A. Omega Series
- B. Accent Series
- C. Luminist Series
- D. Revolution Series
- E. A-Line Series
- F. Eclipsis Series

**Slide**


**Luminist Series**



**Features**

Preset slide control.  
Easy-to-operate, smooth-sliding linear control & switch.  
Snap-on plastic cover holds slide securely in place.  
No exposed fins or hardware.  
Standard designer-style.  
Limited two-year warranty.

**Omega Series**



Slide-to-OFF switch.  
Calibrated slide control operates smoothly & accurately.  
Low-end trim adjustment.  
Wrap-around aluminum faceplate.  
No exposed fins or hardware.  
Limited one-year warranty.

**Eclipsis Series**



Preset slide control.  
Architectural designs, no exposed heatsink.  
Easy-to-operate, smooth-sliding linear control & switch.  
Available for both low and high-power applications.  
Uses standard designer-style faceplate.  
Replaces standard wall switch.  
Limited one-year warranty.

**Rotary**

**Revolution Series**



Smooth action, full-range rotary switch.  
Snap-on plastic cover holds captive knob securely in place.  
Positive ON/OFF switch.  
Limited two-year warranty.

**Accent Series**



Smooth action, full-range rotary switch.  
Wrap-around aluminum faceplate.  
No exposed fins or hardware.  
Positive ON/OFF switch.  
Limited one-year warranty.

**A-Line Series**



Smooth action, full-range rotary switch.  
Decorative black, snap-in bezel.  
Economical, dependable dimming solution.  
Positive ON/OFF switch.  
Limited one-year warranty.

	<b>Lamp Type</b>	<b>Application/Voltage</b>	<b>Wattage</b>
	Incandescent	Single-pole & 3-way, 120V	800; 1000; 1500; 2000W
	Fluorescent	Single-pole, 120V & 277V	12 to 40 lamps
	Low Voltage	Single-pole & 3-way, 120V	1000; 1500VA
	Fan-Speed Control	Single-pole, 120V	7.5 to 15 amps
	Incandescent	Single-pole, 120V & 277V	600; 1000; 1500; 2000W
	Fluorescent	Single-pole, 120V & 277V	12 to 30 lamps
	Low Voltage	Single-pole, 120V & 277V	600; 1000; 1500; 2000VA
	Fan-Speed Control	Single-pole, 120V & 277V	2.2 to 12.5 amps
	Incandescent	Single-pole & 3-way, 120V & 277V	600W
	Electronic Fluorescent 0-10 VDC	Single-pole & 3-way, 120V & 277V	32 (T8) or 46 (CFL) lamps
	Phase-Control	Single-pole & 3-way, 120V & 277V	16 (T8) or 20 (CFL) lamps
	Low Voltage	Single-pole, 120V & 277V	500 VA
	Fan-Speed Control	Single-pole, 120V & 277V	2.2 to 5 amps
	Incandescent	Single-pole & 3-way, 120V	800; 1000; 1500; 2000W
	Fluorescent	Single-pole, 120V & 277V	12 to 40 lamps
	Fan-Speed Control	Single-pole, 120V	10 amps
	Incandescent	Single-pole & 3-way, 120V & 277V	600; 1000; 1500; 2000W
	Fluorescent	Single-pole & 3-way 120V & 277V	12 to 30 lamps
	Low Voltage	Single-pole, 120V & 277V	600; 1000; 1500; 2000VA
	Fan-Speed Control	Single-pole, 120V & 277V	2.2 to 12.5 amps
	Incandescent	Single-pole & 3-way 120V & 277V	600; 1000; 1500; 2000W
	Fluorescent	Single-pole & 3-way 120V & 277V	12 to 30 lamps
	Low Voltage	Single-pole, 120V & 277V	600; 1000; 1500; 2000VA
	Fan-Speed Control	Single-pole, 120V & 277V	2.2 to 12.5 amps



## **HUNT Warranties:**

---

Luminist Series & Revolution Series controls are backed by HUNT's limited two-year warranty. All other HUNT devices are protected by a limited one-year warranty.

## **HUNT also manufactures Custom 277 Volt and 50 Hz Controls**

---

HUNT Dimming specializes in semi-custom and custom lighting dimmers, fan speed and motor controls in large and small-lot quantities.

HUNT Dimming offers custom controls for:

- Incandescent, Fluorescent, Low-Voltage, Neon and Fan & Motor Control applications.
- 105/110/120/130 Volt or 208/220/240/277 Volt inputs.
- 50Hz or 60Hz frequency.
- Single-pole or 3-Way installation.
- Comprehensive array of wattage ratings.

*HUNT Dimming can customize our products to meet your specific needs.*

Distributed by:

Proud sponsor and  
charter member of:



### **Hunt Control Systems, Inc.**

200 Rome Court  
Fort Collins, CO 80524  
U.S.A.

Tel: (970) 484-9048 Fax: (970) 493-4125

[www.hunt dimming.com](http://www.hunt dimming.com)

